Browan Communications Inc.



No.15-1, Zhonghua Rd., Hsinchu Industrial Park, Hukou, Hsinchu, Taiwan, R.O.C. 30352 Tel: +886-3-6006899

Fax: +886-3-5972970

Document Number

BQW_02_0023.001

Sensor Accessories Cap Installation Guide



Revision History

Revision	Date	Description
.001	Aug. 24, 2020	Browan first release



Copyright

© 2020 BROWAN COMMUNICATIONS INC.

This document is copyrighted with all rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form by any means without the written permission of BROWAN COMMUNICATIONS INC.

Notice

BROWAN COMMUNICATIONS INC. reserves the right to change specifications without prior notice.

While the information in this manual has been compiled with great care, it may not be deemed an assurance of product characteristics. BROWAN COMMUNICATIONS INC. shall be liable only to the degree specified in the terms of sale and delivery.

The reproduction and distribution of the documentation and software supplied with this product and the use of its contents is subject to written authorization from BROWAN COMMUNICATIONS INC.

Trademark

The product described in this document is a licensed product of BROWAN COMMUNICATIONS INC.



Contents

REVISION HISTORY	
COPYRIGHT	2
NOTICE	
TRADEMARK	2
Chapter 1 Introduction	4
1.1 Product Design	4
1.2 Product Image	
1.3 Product Features	4
1.4 Product Specification	5
1.5 Product Application	
Chapter 2 Installation Guide	6
Step 1	6
Step 2	6
Step 3	6
Step 4	6




Chapter 1 Introduction

1.1 Product Design

The Cap is part of the accessories of Motion Sensor PIR. The purpose of the cap is to reduce the detection range to acquire more accurate data of movement of a narrow space, such as each seats of the conference room, personal working desk/space, etc.

1.2 Product Image



1.3 Product Features

- Comes with 3M VHB double-sided tape
- Easy & fast deployment
- Create the best-case scenarios of desk occupancy application



1.4 Product Specification

Material	PC+ABS
Color	Grey
Inside diameter	~5.0 mm
Outside diameter	~7.4 mm
Height	~6.3 mm
Accessories	3M VHB double-sided tape

1.5 Product Application

1. Motion Sensor PIR

^{*}Note: In the scenario of desk occupancy application.



Chapter 2 Installation Guide

Step 1

Clean the surface with alcohol. (Suggested by 3MTM.)

Step 2

Tear off the plastic of the tape.

Step 3

Stick the cap on the lens of the Motion Sensor PIR and adjust the opening to desired position.

Step 4

Stick the sensor on/under the desk, or on the Bracket if needed. Avoid covering the QR code.

*Note: Please find the Bracket Installation Guide at our website: https://www.browan.com/download/ZZX/stream